

#### **SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

## 1.1. Product identifier

Product name	:	INSPARATION SPA BATH CHERRY BLOSSOM LIQUID
Product code	:	755558001121

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC0 Other. Pool and spa maintenance.

# 1.3. Details of the supplier of the safety data sheet

# 1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:		
NL - Telephone	: +31 497 555562	(During office hours only)

SECTION 2 HAZAF	<b>RDS IDENTIFICATION</b>
-----------------	---------------------------

# 2.1. Classification of the substance or mixture

CLP classification (1272/2008/EC)	:	Not classified as dangerous according to Regulation (EC) No 1272/2008.
Human health hazards Physical/chemical hazards Environmental hazards	:	May produce an allergic reaction. Not classified as dangerous according to statutory EC-Directives. Combustible. Not classified as dangerous according to statutory EC-Directives.

# 2.2. Label elements

Product name	· inSPAration So	a Bath Cherry Blossom Liquid	Page 1/9
Other information	: Does not contai	in PBT or vPvB substances in concentrations	higher than 0,1%.
2.3. Other hazards			
Additional labelling (for al	: * Contains Benz	zyl salicylate ; d-Limonene ; 4-(4-Hydroxy-4-m de . May produce an allergic reaction.	ethylpentyl)cyclohex-3-
H- and P-phrases	: EUH208	Contains May produce an allergic reaction labelling for full text of EUH208*.	n. Reference is made to additional
Signal word	: Not applicable.		
Labelling of packagings v Hazard pictograms	here the contents do : None.	o not exceed 125 ml and it is technically impos	sible to list all phrases:
H- and P-phrases	: EUH208	Contains May produce an allergic reaction labelling for full text of EUH208*.	n. Reference is made to additional
Signal word	: Not applicable.		
Label elements (1272/200 Hazard pictograms	)8/EC): : None.		



#### **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

# 3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration	CAS nr.		EC number	Remark	REACH nr.
	(w/w) (%)					
Propyleneglycol	> 75	57-55-6		200-338-0	MAC	01-2119456809-23
Benzyl salicylate	0,1 - < 1	118-58-	1	204-262-9		
d-Limonene	0,1 - < 0,25	5989-27	-5	227-813-5		
4-(4-Hydroxy-4-methylpentyl)cyclohex-	0,01 - < 0,1	31906-0	4-4	250-863-4		
3-enecarbaldehyde						
Substance name	Hazard Class		H-phra	ses	Pictograms	
Propyleneglycol						
Benzyl salicylate	Aquatic Chronic	: 3; Eye	H317; I	H319; H412	GHS07; GHS09	
	Irrit. 2; Skin Ser	าร. 1				
d-Limonene	Aquatic Acute 1	;	H226; I	H304; H315;	GHS02; GHS07;	M (acute) = 1
	Aquatic Chronic	: 1; Asp.	H317; I	H400; H410	GHS08; GHS09	
	Tox. 1; Flam. Li					
	Skin Irrit. 2; Ski	n Sens.				
	1B					
4-(4-Hydroxy-4-methylpentyl)cyclohex-	Skin Sens. 1A		H317		GHS07	
3-enecarbaldehyde						

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

#### **SECTION 4 FIRST-AID MEASURES**

# 4.1. Description of first aid measures

First aid measures	
Inhalation	: Move victim into fresh air. Consult a doctor if victim feels unwell.
Skin contact	: Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation occurs.
Eye contact	: Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists.
Ingestion	: Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

# 4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms		
Inhalation	:	May cause headache, dizziness and a feeling of sickness.
Skin contact	:	May produce an allergic reaction. May cause dry skin.
Eye contact	:	May cause stinging of eyes and redness.
Ingestion	:	May cause a feeling of sickness, vomiting and diarrhoea.

# 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians	: None known.
--------------------	---------------

#### **SECTION 5 FIRE-FIGHTING MEASURES**

Product name
Date of issue



# 5.1. Extinguishing media

Extinguishing media	
Suitable	: Carbondioxide (CO2). Alcohol resistant foam. Dry chemical. Water fog.
Not suitable	: None known.

## 5.2. Special hazards arising from the substance or mixture

Special exposure hazards	:	None known.
Hazardous thermal	:	Carbon monoxide may be evolved if incomplete combustion occurs.
decomposition products		

### 5.3. Advice for firefighters

: Use adequate respiratory equipment in case of insufficient ventilation. Special protective equipment for fire-fighters

**SECTION 6 ACCIDENTAL RELEASE MEASURES** 

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	: Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Vapours are
	heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

# 6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

### 6.4. Reference to other sections

Reference to other sections : See also section 8.

#### **SECTION 7** HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Keep away from sources of ignition — No smoking. Do not breathe vapour. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage	:	Keep in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents.
Recommended packaging	:	Keep only in the original container.
Non recommended	:	None known.
packaging		

### 7.3. Specific end use(s)

Use

: Use only as directed.

#### **SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION**



# 8.1. Control parameters

Occupational exposure limits

: Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m<sup>3</sup>):

Chemical name	Country	TWA 8 hour	STEL 15 min	Comments	Source
		(mg/m3)	(mg/m3)		
Propyleneglycol	GB	474	-	Total Vapour and	
				Particulates	
Propyleneglycol		474		Total Vapour and	MAC: UK
				Particulates	

# Derived no-effect level (DNEL) for workers:

Chemical name	Route of	DNEL, short-t	DNEL, short-term		DNEL, long-term	
	exposure					
	·	Local effect	Systemic effect	Local effect	Systemic effect	
Propyleneglycol	Inhalation			10 mg/m3	168 mg/m3	
Benzyl salicylate	Inhalation				7,8 mg/m3	
	Dermal				2,21 mg/kg bw/day	
d-Limonene	Inhalation				66,7 mg/m3	
	Dermal				9,5 mg/kg bw/day	

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of	DNEL, short-t	DNEL, short-term		DNEL, long-term	
	exposure					
		Local effect	Systemic effect	Local effect	Systemic effect	
Propyleneglycol	Inhalation			10 mg/m3	50 mg/m3	
Benzyl salicylate	Inhalation				1,37 mg/m3	
	Dermal				0,79 mg/kg bw/day	
	Oral				0,79 mg/kg bw/day	
d-Limonene	Inhalation				16,6 mg/m3	
	Dermal				4,8 mg/kg bw/day	
	Oral				4,8 mg/kg bw/day	

## Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Propyleneglycol	Water	260 mg/l	26 mg/l	
	Sediment	572 mg/kg	57,2 mg/kg	
	Intermittent water			183 mg/l
	STP			20000 mg/l
	Soil			50 mg/kg
	Oral			1133 mg/kg food
Benzyl salicylate	Water	0.001 mg/l	0 mg/l	
5 5	Sediment	0,583 mg/kg	0.058 mg/kg	
	Intermittent water			0,01030 mg/l
	STP			10 mg/l
	Soil			1.41 mg/kg
	Oral			52.7 mg/kg food
d-Limonene	Water	0.014 mg/l	0.0014 mg/l	
	Sediment	3.85 mg/kg	0.385 mg/kg	
	STP			1,8 mg/l
	Soil			0.763 mg/kg
	Oral			133 mg/kg food



# 8.2. Exposure controls

Engineering measures	: Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.
Hygienic measures	: When using do not eat, drink or smoke.
Personal protective equipr	nent:
	protective equipment depends among other things on temperature and degree of ventilation. Always get
professional advice for the	particular local situation.
Body protection	: Use of specific protective industrial clothing is not required under normal conditions of use. In case of large scale exposure wear suitable protective clothing, overalls or suit, and similar boots. Suitable material: nitril. Indication of permeation breakthrough time: 6 hours.
Respiratory protection	Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
Hand protection	: Under normal conditions of use specific gloves are not required. Wear appropriate gloves in case of frequent or prolonged use and in case of large scale exposure. Suitable material: nitril. ± 0,5 mm. Indication of permeation breakthrough time: 6 hours.
Eye protection	: Wear appropriate safety glasses when there is danger of possible eye contact.

**SECTION 9** PHYSICAL AND CHEMICAL PROPERTIES

# 9.1. Information on basic physical and chemical properties

Appearance Colour	: Liquid. : Red.	
Odour	: Perfumed.	
Odour threshold	: Not known.	
pН	: 7	
Solubility in water	: Soluble.	
Partition coefficient (n-oc-	: Not known.	Not measured. Not relevant for mixtures.
tanol/water)		
Flash point	: 99 °C	Closed cup.
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: 371 °C	
Boiling point/boiling range	: 188 °C	
Melting point/melting range	: -59 °C	
Explosive properties	: Not an explosive.	
Explosion limits (% in air)	: 2,6 - 12,6	
Oxidising properties	: Not applicable.	Does not contain oxidizing substances.
Decomposition temperature	: Not applicable.	
Viscosity (20°C)	: 43 mm2/sec	(1  mm2/sec = 1cSt)
Viscosity (40°C)	: > 20,5 mm2/sec	
Vapour pressure (20°C)	: 20 Pa	
Vapour density (20°C)	: >1	(air = 1)
Relative density (20°C)	: 1,035 g/ml	
Evaporation rate	: Not known.	(n-butyl acetate = 1) Not relevant. Mixture of liquids and solids.

9.2. Other information

Other information

: Not relevant.

#### **SECTION 10 STABILITY AND REACTIVITY**

# 10.1. Reactivity



Reactivity

10.2. Chemical stability				
Stability	: Stable under normal conditions.			
10.3. Possibility of hazardous reactions				
Reactivity	: No other hazardous reactions known.			
10.4. Conditions to avoid				
Conditions to avoid	: See section 7.			
10.5. Incompatible materials				
Materials to avoid	: Keep away from oxidizing agents.			
10.6. Hazardous decomposition products				

: See sub-sections below.

## 10.6. Hazardous decomposition products

Hazardous decomposition : Not known. products

#### **SECTION 11 TOXICOLOGICAL INFORMATION**

# 11.1. Information on toxicological effects

No toxicological research has been carried out on this product. Inhalation

Inha	llation	
	Acute toxicity	: Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause headache, dizziness and a feeling of sickness.
	Corrosion/irritation	: Not classified - based on available data, the classification criteria are not met.
	Sensitisation	: Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
	Carcinogenicity	: Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
	Mutagenicity	Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Skir	contact	
	Acute toxicity	: Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
	Corrosion/irritation	: Slight irritation possible. Not classified - based on available data, the classification criteria are not met.
	Sensitisation	: May produce an allergic reaction.
	Mutagenicity	Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Eye	contact	
2	Corrosion/irritation	: Slight irritation possible. Not classified - based on available data, the classification criteria are not met.
Inge	stion	
Ū	Acute toxicity	: Calculated LD50: > 2031 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
	Aspiration	: Not expected to be an aspiration hazard. Contains a substance/substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met.
	Corrosion/irritation	: May cause a feeling of sickness, vomiting and diarrhoea.



Carcinogenicity	: Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Reprotoxicity	<ul> <li>Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.</li> </ul>

### Toxicological information:

Chemical name	Property		Method	Test animal
Benzyl salicylate	NOAEL (fertility, oral)	158 mg/kg bw/d	OECD 421	Rat
	Skin sensitisation	725 ug/cm2	OECD 429	Mouse
	NOAEL (oral)	177 mg/kg bw/d	OECD 408	Rat
	Skin irritation	Non-irritant	OECD 404	Rabbit
	NOAEL (development,	158 mg/kg bw/d	OECD 421	Rat
	oral)			
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Chinese Hamster
	Eye irritation	Moderately irritant		Rabbit
	LD50 (oral) - estimate	> 2000 mg/kg bw	Read across	
	LD50 (dermal) -	> 2000 mg/kg bw	Read across	
	estimate			
d-Limonene	Genotoxicity - in vivo	> 2000 mg/kg bw/d		Rat
	NOEL (carcinogenicity,	> 300 mg/kg bw/d	OECD 451	Rat
	oral)			
	Eye irritation	Non-irritant	OECD 405	Rabbit
	Mutagenicity	Negative	OECD 471	
	Skin sensitisation	10075 ug/cm2	OECD 429	Mouse
	NOAEL (development,	600 mg/kg bw/d		Rat
	oral)			
	Skin irritation	Irritant		
	LD50 (dermal)	> 2000 mg/kg bw		Rabbit
	LD50 (oral)	4400 mg/kg bw		Rat
	Genotoxicity - in vitro	Not genotoxic		
	NOAEL (oral)	150 mg/kg bw/d		Rat
i 4-(4-Hydroxy-4-methylpentyl)cyclohex-		Not genotoxic		Mouse
3-enecarbaldehyde				in ouce
	NOAEL (fertility, oral)	25 mg/kg bw/d		Rat
	Skin irritation	Irritant		Rabbit
	Skin irritation	Non-irritant	Patch test	Human
	LD50 (oral)	> 5000 mg/kg bw		Rat
	LD50 (dermal)	> 5000 mg/kg bw		Rabbit
	Eye irritation	Mildly irritant		Rabbit
	Skin sensitisation	4275 ug/cm2	OECD 429	Mouse
L				

#### **SECTION 12 ECOLOGICAL INFORMATION**

# 12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Calculated LC50 (fish): 150 mg/l. Calculated EC50 (waterflea): 118 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met.

# 12.2. Persistence and degradability

Persistence – degradability : No specific information known.

### 12.3. Bioaccumulative potential

Bioaccumulative potential : Contains bioaccumulating substances.

# 12.4. Mobility in soil

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

# 12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

# 12.6. Other adverse effects

Other information : Not applicable.

# SECTION 13 DISPOSAL CONSIDERATIONS

# 13.1. Waste treatment methods

Product residues	: Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as chemical waste. Dispose waste to an official chemical waste depot.
Additional warning Waste water discharge Local legislation	<ul> <li>None.</li> <li>Do not dispose into the environment, in drains or in water courses.</li> <li>Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.</li> </ul>

# SECTION 14 TRANSPORT INFORMATION

### 14.1. UN number

UN nr. : None.

# 14.2. UN proper shipping name

Transport name : Not regulated.

# 14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/rail Class	way/inland waterways) : This product is not classified according to ADR/RID/ADN.
IMDG (sea) Class Marine pollutant	: This product is not classified according to IMDG. : No
IATA (air) Class	: This product is not classified according to IATA.

## 14.6. Special precautions for user

Other information : Country specific variations may apply.

# 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

Product name	: inSPAration Spa Bath Ch	Page 8/9		
Date of issue	: 2020-07-16	Replaces issue dated	:	INFO CARE SDS



# SECTION 15 REGULATORY INFORMATION

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations

: Regulation (EU) No 2015/830 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations.

: ---